SAFETY DATA SHEET

Hexachloroethane

Hefei TNJ Chemical Industry Co.,Ltd.

According to GHS (Eighth Revised Edition)



Section 1 Product and Company Identification

> Product Identifier

Product Name Hexachloroethane

Synonyms -

CAS No. Not applicableEC No. Not applicableMolecular Formula Not applicable

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Hefei TNJ Chemical Industry Co.,Ltd.

Application Address D1508 Xincheng Business Center, Qianshan Road, Hefei China

Applicant Telephone +86-551-65418677

Applicant E-mail Sales21@tnjchem.com

Supplier Post Code 230022

Supplier Telephone +86-551-65418677

Supplier E-mail Sales21@tnjchem.com

> Emergency Phone Number

Emergency Phone Number +86-551-65418677

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

Acute Toxicity – Oral Category 5

Hexachloroethane

Skin Category 2 Corrosion/Irritation

Eye Damage/Irritation Specific Target Organ

Toxicity (Single Category 3 **Exposure**)

Carcinogenicity Category 2

Hazardous To The Aquatic Environment

Category 1 Short-Term (Acute)

Hazard

Hazardous To The Aquatic Environment Long-Term (Chronic) Hazard

Category 1

Category 2A

> GHS Label Elements

Pictogram

Signal Word Varnino

> Hazard Statements

H303 May be harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation H351 Suspected of causing cancer Very toxic to aquatic life H400

H410 Very toxic to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P203 Obtain, read and follow all safety instructions before use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contact area thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face P280

protection/hearing protection. Response

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

P321 Specific treatment (see measures on this label).

P391 Collect spillage.

P301+P317 IF SWALLOWED: Get medical help.

IF ON SKIN: Wash with plenty of water. P302+P352

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332+P317 If skin irritation occurs; Get medical help.

P337+P317	If eye irritation persists:Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Hexachloroethane	99.89	67-72-1	200-666-4
Water	0.03	7732-18-5	231-791-2
Ash	0.03	-	-
Iron	0.013	-	-
Alcohol insoluble matter	0.037	-	-

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. Move victim into fresh air. If breathing is difficult, give oxygen. Do not use
Inhalation	mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special TreatmentNeeded

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media Suitable Extinguishing Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable Do not use a solid water stream as it may scatter or spread fire.

Extinguishing Media

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fight fire from a safe distance, with adequate cover. 2
- Prevent fire extinguishing water from contaminating surface water or the ground water system. 3

Section 6 Accidental Release Measure

Personal Precautions, Protective Equipment and Emergency Procedures

- Ensure adequate ventilation. Remove all sources of ignition. 1
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a 1
- spill by bunding.
 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. 2
- Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. 3

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Exposure Controls/Personal Protection Section 8

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Region	Limit Value	e - Eight Hours	Limit Value - Short Term		
	Country/ Region	ppm	mg/m³	ppm	mg/m³	
Hexachloroeth ane 67-72-1	USA - OSHA	1	10 vapour	-	-	
	South Korea	1	10	-	-	
	Ireland	1	10	-	-	
	Germany (AGS)	1	9.8	2	19.6	
	Denmark	1	10	2	20	
	Australia	1	9.7	-	-	

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard) and GBZ/T 2 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

Personal Protection Equipment

Flammability: No information available

Vapor Pressure (KPa): Not applicable

Relative Density(Water=1): 2.091 (20°C)

n-Octanol/Water Partition Coefficient: 4.14

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard. **Hand Protection**

If exposure limits are exceeded or if irritation or other symptoms are

experienced, use a full-face respirator with multi-purpose combination (US) or **Respiratory protection**

type AXBEK (EN 14387) respirator cartridges.

Skin and Body Wear fire/flame resistant/retardant clothing and antistatic boots.

Protection

Physical and Chemical Properties Section 9

Appearance: White crystal powder **Odor:** No information available

Odor Threshold: No information available **pH:** No information available Melting Point/Freezing Point (°C): 187 Initial Boiling Point and Boiling Range (°C): 183~185

Flash Point (°C)(Closed Cup): Not applicable **Evaporation Rate:** Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information

available

Relative Vapour Density(Air = 1): Not applicable

Solubility: Insoluble in water

Auto-Ignition Temperature(°C): No information

available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): Not applicable

Particle characteristics: No information available

Section 10 Stability and Reactivity

Contact with incompatible substances can cause decomposition or other Reactivity

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and

Hazardous Reactions release hydrogen.

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal

oxide, acyl halide and metal phosphide.

Hazardous

Decomposition products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	o. LD ₅₀ (Oral) LD ₅₀ (Dermal)		LC ₅₀ (Inhalation, 4h)
Hexachloroeth ane	67-72-1	4460mg/kg(Rat)	32000mg/kg(Rabbit)	No information
4.10				available

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	67-72-1	Hexachloroethane	Category 2B	Not Listed

Hexachloroethane

2	7732-18-5	Water	Not Listed	Not Listed
3	-	Ash	Not Listed	Not Listed
4	-	Iron	Not Listed	Not Listed
5	-	Alcohol insoluble matter	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

May cause respiratory irritation(Category 3)

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Hexachloroeth ane	67-72-1	LC ₅₀ : 1.32mg/L (96h)(Fish)	EC ₅₀ : 4.3mg/L (48h)	ErC ₅₀ : 90.1mg/L (96h)

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and **Degradability** Bioaccumulative **Potential**

Mobility in Soil

No information available

No information available No information available

Hexachloroethane meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Results of PBT and vPvB Assessment

Water does not meet the criteria for PBT and vPvB according to Regulation (EC)

No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Before disposal should refer to the relevant national and local laws and **Waste Chemicals**

regulation. Recommend the use of incineration disposal.


Contaminated
Packaging
Disposal
Recommendations

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Section 14 Transport Information

Transporting Label



Marine pollutant Yes

UN Number 3077

UN Proper Shipping

Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport Hazard Class

Transport Subsidiary

NONE

Hazard Class

...

Packing Group **Ⅲ**

(Description: The graphic "fish and tree" is transport marking.)

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Hexachloroethane	√	√	√	√	√	√	√	√	√
Water	√	√	√	√	√	√	√	√	√
Ash	×	×	×	×	×	×	×	×	×
Iron	×	×	×	×	×	×	×	×	×
Alcohol insoluble matter	×	×	×	×	×	×	×	×	×

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

Creation Date 2021/08/13

Revision Date 2021/08/13

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.